Solving Equations with Variables on Each Side

Steps:

- Decide which side you want to have contain the variables.
- 2) Move the variable terms to that side by addition/subtraction.
 - note: cannot combine like terms across the equals sign.
- Move the non-variable terms to the other side.
- 4) Using steps 2 and 3 solve the equation by isolating the variable.
 - handle parentheses first
 - addition/subtraction second
 - multiplication/division third

Consider

- integer rules
- leave, change, opposite
- clearing fractions by multiplying by the reciprocal

Solve.

1)
$$5x + 12 = 2x$$

Variable on left.

$$5x + 12 = 2x$$

$$-a\times$$
 $-a\times$

$$3x + 12 = 0$$

$$\frac{3x=13}{3}$$

$$\times = - 4$$

Variable on right.

$$5x + 12 = 2x$$

$$\frac{12 = -3 \times 1}{-3}$$

$$-4 = x$$

Solve.

2)
$$-8x + 7 = 4x - 5$$

Variable on left.

2)
$$-8x + 7 = 4x - 5$$

 $-4x - 4x$
 $-12x + 7 = -5$
 $-7 - 7$

Variable on right.

2)
$$-8x + 7 = 4x - 5$$

 $+8x$
 $7 = 12x - 5$
 $+5$
 $12 = 12x$

Solve.

3)
$$5(y-2) = -2(12-9y) + y$$

$$5y-10 = -24+18y + 1y$$

$$5y-10 = -24+19y$$

$$-5y$$

$$-10 = -24+14y$$

$$+24+24$$

$$14 = 14y$$

$$1 = y$$

Special Solutions

4)
$$2(3x + 4) = 6x + 9$$

$$6x + 8 = 6x + 9$$
 $-6x - 6x$
 $8 = 9$

Special Solutions

5)
$$4(x - 5) = 4x - 20$$

$$4x - 20 = 4x - 20$$